



ABUJARDAR BUSH HAMMER TOOLING

---

The tools to create  
a safer non-slip  
surface.

**PeterFell**  
TEXTURE SAFE SYSTEM



# Contents

1.	PeterFell Texture Safe System.	3
2.	Handheld bush hammer tooling.	5
3.	Planetary bush hammer tooling.	13
4.	Pneumatic tooling.	21
5.	Texture protections.	22
6.	Care and maintenance.	23
	Disclaimer.	25

## SECTION 1

# A safe, non-slip textured surface for virtually any environment.

**The PeterFell Texture Safe System** allows you to create an even, non-slip texture for a range of applications, from residential pool surrounds to public spaces with high foot traffic.

Texture Safe isn't an applied anti-slip application. It's a permanent texture that's created to the concrete's surface, using **Abujardar bush hammer tooling**.

Because it's an integral part of the concrete, the texture will last, ensuring your surface remains safe, slip-free and looking great for generations.

The specialised Abujardar tooling is long-lasting too. You can be confident of achieving quality results year after year with the same tools.

Versatility is another key benefit of Abujardar bush hammer tooling. The tools can be used on concrete old and new – and not just on horizontal surfaces. It's equally effective on pre-cast walls and other vertical surfaces and can be applied to granite, marble and masonry.

Depending on the look you want to achieve, you can choose from the wide range of Abujardar tooling textures. Right images are examples of the PFL Texture Safe Fine, Medium and Coarse textures.

PeterFell Texture Safe Fine  
(PFTSF)



PeterFell Texture Safe Medium  
(PFTSM)



PeterFell Texture Safe Coarse  
(PFTSC)





On the following pages you'll find the **Abujardar bush hammer tooling** that's perfectly suited to your project, from spacious warehouse floors to the tightest of corners.

If you'd like to discuss a specific application – and the best tooling for the job, call us on **0800 422 65687**.  
Or visit [peterfell.co.nz](https://www.peterfell.co.nz).

## SECTION 2

# Handheld bush hammer tooling.



2.1	Mini Unic full set-up	6
2.2a	Mini Unic tooling	8
2.2b	Mini Unic spares & parts	9
2.3a	RPCA tooling	10
2.3b	RPCA spares & parts	11
2.4	Specialised tooling	12

All of our handheld bush hammer tooling are made to fit **Makita SA7000C**.

## 2.1 Mini Unic full set-up.



### Mini Unic full set-up example - G12

Price includes Makita SA7000C

**Extra coarse texture**

**NZ\$2,975**



61-15318

**Plate 150mm/3 Mini G12  
CSP 5-7**

**NZ\$1,732**



41-26009

**Mini Unic  
Roller G12  
CSP 5-7**

**NZ\$338**



### Mini Unic full set-up example - G36

Price includes Makita SA7000C

**Coarse texture**

**NZ\$2,975**



61-15312

**Plate 150mm/3 Mini G36  
CSP 4-5**

**NZ\$1,732**



41-26013

**Mini Unic  
Roller G36  
CSP 4-5**

**NZ\$338**

All of our handheld bush hammer tooling are made to fit **Makita SA7000C**. PeterFell recommends replacing the axles with new ones when fitting spare rollers. Pricing as of 27 January 2026. All pricing excludes GST and any freight ex PeterFell Auckland Head Office – contact **0800 422 65687** or **info@peterfell.co.nz** for a delivered quotation.

## 2.1 Mini Unic full set-up.



### Mini Unic full set-up example - G50

Price includes Makita SA7000C

**Medium texture**

**NZ\$3,105**



61-15314

**Plate 150mm/3 Mini G50  
CSP 3-4**

**NZ\$1,862**



41-26019

**Mini Unic  
Roller G50  
CSP 3-4**

**NZ\$381**



### Mini Unic full set-up example - G90

Price includes Makita SA7000C

**Fine texture**

**NZ\$3,170**



61-15316

**Plate 150mm/3 Mini G90  
CSP 2-3**

**NZ\$1,927**



41-26017

**Mini Unic  
Roller G90  
CSP 2-3**

**NZ\$403**

All of our handheld bush hammer tooling are made to fit **Makita SA7000C**. PeterFell recommends replacing the axles with new ones when fitting spare rollers. Pricing as of 27 January 2026. All pricing excludes GST and any freight ex PeterFell Auckland Head Office – contact **0800 422 65687** or **info@peterfell.co.nz** for a delivered quotation.

## 2.2a Mini Unic tooling.



45-40204  
**Mini Unic dust shroud**  
NZ\$**541**



45-40100  
**Handle**  
NZ\$**152**



61-15310  
**Mini Unic D.150mm plate**  
NZ\$**714**



42-26009  
**Mini Unic G12 spare roller**  
CSP 5-7  
NZ\$**230**



42-26007  
**Mini Unic G36 spare roller**  
CSP 4-5  
NZ\$**230**



42-26013  
**Mini Unic G50 spare roller**  
CSP 3-4  
NZ\$**273**



42-26017  
**Mini Unic G90 spare roller**  
CSP 2-3  
NZ\$**294**

## 2.2b Mini Unic spares & parts.



31-26002  
**Casing**  
NZ\$**121**



44-50326  
**Silent block**  
NZ\$**64.95**



31-26003  
**Cap**  
NZ\$**21.65**



33-06202  
**Bearing**  
NZ\$**21.20**



23-12012  
**Nut**  
NZ\$**1.80**



21-20820  
**Screw**  
NZ\$**0.65**

All of our handheld bush hammer tooling are made to fit **Makita SA7000C**. PeterFell recommends replacing the axles with new ones when fitting spare rollers.  
Pricing as of 27 January 2026. All pricing excludes GST and any freight ex PeterFell Auckland Head Office – contact **0800 422 65687** or **info@peterfell.co.nz** for a delivered quotation.

## 2.3a RPCA tooling.



45-15014  
**Dust shroud D.115mm**  
NZ\$**368**



44-10903  
**RPCA D.90mm  
R3 plate**  
NZ\$**281**



45-40100  
**Handle**  
NZ\$**152**



45-15012  
**Dust shroud D.150mm**  
NZ\$**541**



44-11504  
**RPCA D.150mm  
R4 plate**  
NZ\$**346**



44-11506  
**RPCA D.150mm  
R6 plate**  
NZ\$**411**



41-24317  
**RPCA  
G16 roller  
CSP 5-6**  
NZ\$**281**



41-24321  
**RPCA  
G20 roller  
CSP 4-5**  
NZ\$**281**



41-24331  
**RPCA  
G30 roller  
CSP 3-4**  
NZ\$**281**



41-24367  
**RPCA medium  
sandblast roller**  
NZ\$**281**



41-24365  
**RPCA G165 micro  
sandblast roller**  
NZ\$**281**

All of our handheld bush hammer tooling are made to fit **Makita SA7000C**. PeterFell recommends replacing the axles with new ones when fitting spare rollers.  
Pricing as of 27 January 2026. All pricing excludes GST and any freight ex PeterFell Auckland Head Office – contact **0800 422 65687** or **info@peterfell.co.nz** for a delivered quotation.

## 2.3b RPCA spares & parts.



42-24317  
**RPCA G16  
spare roller**  
CSP 5-6  
NZ\$**195**



42-24321  
**RPCA G20  
spare roller**  
CSP 4-5  
NZ\$**195**



42-24331  
**RPCA G30  
spare roller**  
CSP 3-4  
NZ\$**195**



42-24367  
**RPCA medium  
sandblast spare roller**  
NZ\$**195**



42-24365  
**RPCA G165 micro  
sandblast spare roller**  
NZ\$**195**



31-24311  
**RPCA spare housing**  
NZ\$**106**



24-43026  
**Circlip**  
NZ\$**0.70**



31-24322  
**Front cap**  
NZ\$**8.65**



21-20635  
**Screw**  
NZ\$**0.75**



23-13008  
**Nut**  
NZ\$**2**



31-24321  
**Interior cap**  
NZ\$**3.70**



33-00608  
**Bearing**  
NZ\$**16.95**



31-24308  
**Axle**  
NZ\$**16.10**



32-31218  
**Oil seal**  
NZ\$**4.35**



23-22251  
**O ring**  
NZ\$**0.90**

All of our handheld bush hammer tooling are made to fit **Makita SA7000C**. PeterFell recommends replacing the axles with new ones when fitting spare rollers. Pricing as of 27 January 2026. All pricing excludes GST and any freight ex PeterFell Auckland Head Office – contact **0800 422 65687** or **info@peterfell.co.nz** for a delivered quotation.

## 2.4 Specialised tooling.



45-40302

**Universal head & guide****NZ\$2,014**

45-10200

**D.90mm deepness regulator****NZ\$476**

45-10103

**Aluminium cap connector****NZ\$152**

## SECTION 3

# Planetary bush hammer tooling.



3.1a	Quick Change plates tooling	14
3.1b	Quick Change plates spares & parts	15
3.2a	Integrated plates tooling	17
3.2b	Integrated plates spares & parts	18
3.3	G36 medium texture tooling	19
3.4a	Conversion plates	20

### 3.1a Quick Change plates tooling.



61-22037  
**HTC 270  
Quick Change plate**

**NZ\$823**



61-22039  
**HTC 230  
Quick Change plate**

**NZ\$628**



61-22040  
**Husqvarna 270  
Quick Change plate**

**NZ\$866**



61-22041  
**Husqvarna 230  
Quick Change plate**

**NZ\$606**



43-60009  
**G24 Quick Change  
cartridge/roller  
CSP 5-7**

**NZ\$489**



43-60010  
**G36 Quick Change  
cartridge/roller  
CSP 4-7**

**NZ\$533**



43-60012  
**G60 Quick Change  
cartridge/roller  
CSP 4-5**

**NZ\$520**



43-60014  
**G108 Quick Change  
cartridge/roller  
CSP 3-4**

**NZ\$606**



43-60015  
**G125 Quick Change  
cartridge/roller  
CSP 2-3**

**NZ\$650**



43-60016  
**G200 Quick Change  
cartridge/roller  
CSP 2-3**

**NZ\$844**



43-60025  
**G270 Quick Change  
cartridge/roller  
CSP 1-2**

**NZ\$996**

## 3.1b Quick Change plates spares & parts.



42-60001  
**G24 Quick Change  
spare roller\***  
CSP 5-7

**NZ\$316**



42-60002  
**G36 Quick Change  
spare roller\***  
CSP 4-7

**NZ\$359**



42-60004  
**G60 Quick Change  
spare roller\***  
CSP 4-5

**NZ\$346**



42-60005  
**G108 Quick Change  
spare roller\***  
CSP 3-4

**NZ\$433**



42-60006  
**G125 Quick Change  
spare roller\***  
CSP 2-3

**NZ\$476**



42-60007  
**G200 Quick Change  
spare roller\***  
CSP 2-3

**NZ\$671**



42-60015  
**G270 Quick Change  
spare roller\***  
CSP 1-2

**NZ\$823**

\* Quick Change Spare roller pricing does not include replacement axle bolt and nuts

### 3.1b Quick Change plates spares & parts.



45-70671  
**Quick Change  
cartridge base**  
NZ\$**108**



31-14341  
**Quick Change spare  
cartridge holder**  
NZ\$**64.95** each



33-06201  
**Quick Change bearing**  
NZ\$**23.80** each



21-11217  
**Quick Change  
nut & bolt**  
NZ\$**21.20**



32-61832  
**Quick Change  
oil seal**  
NZ\$**6.50** each



31-11203  
**Quick Change  
lateral cap**  
NZ\$**3.90** each



24-43035  
**Quick Change  
circlip**  
NZ\$**2.15**



21-20820  
**Quick Change  
base screw**  
NZ\$**0.65**

## 3.2a Integrated plates tooling.



71-00000  
**Single Head Integrated  
D.300mm R6**

NZ\$1,212



71-00006  
**Integrated D.230mm R3**

Includes:

- 3x 21-11211 bolts
- 3x 44-50324 sound blocks)

NZ\$563



71-00028  
**HTC Integrated base  
D.230mm R3**

NZ\$368



61-30010  
**Husqvarna Integrated base  
D.230mm R3**

NZ\$325



42-50365  
**G36 Integrated  
roller  
CSP 5-6**

NZ\$359



42-50604  
**G60 Integrated  
roller  
CSP 4-5**

NZ\$346



42-51084  
**G108 Integrated  
roller  
CSP 3-4**

NZ\$433



42-52004  
**G200 Integrated  
roller  
CSP 2-3**

NZ\$671



42-50002  
**Medium sandblast  
Integrated roller  
CSP 1-2**

NZ\$411

## 3.2b Integrated plates spares & parts.



32-51832  
**Integrated roller dust cap**  
 NZ\$**6.50**



33-06201  
**Bearing**  
 NZ\$**23.80**



21-11211  
**Axle nut & bolt**  
 NZ\$**21.20**



31-11291  
**Side cover**  
 NZ\$**13**



44-50332  
**Husqvarna sound block**  
 NZ\$**23.80**



44-50324  
**HTC sound block**  
 NZ\$**23.80**

### 3.3 G36 medium texture tooling.



44-15000  
**HTC D.230mm plate**  
NZ\$**325**



41-27001  
**G36 roller**  
CSP 4-5  
NZ\$**338**



61-30002  
**Husqvarna D.230mm plate**  
NZ\$**433**

### 3.4 Conversion plates.



CON-85512300  
**HTC D.270mm conversion plate**  
 NZ\$**320**



CON-85512301  
**HTC D.230mm conversion plate**  
 NZ\$**284**



CON-85512302  
**Husqvarna D.270mm conversion plate**  
 NZ\$**297**



CON-85512303  
**Husqvarna D.230mm conversion plate**  
 NZ\$**284**


All of our planetary bush hammer tooling are made to fit **HTC or Husqvarna machines**. PeterFell recommends replacing the axles with new ones when fitting spare rollers.  
 Pricing as of 27 January 2026. All pricing excludes GST and any freight ex PeterFell Auckland Head Office – contact **0800 422 65687** or **info@peterfell.co.nz** for a delivered quotation.

## SECTION 4

# Pneumatic tooling.



51-10131  
**Pneumatic hammer**  
NZ\$1,247



52-10936  
**Bushing chisel square 16t**  
NZ\$168



52-10915  
**Bushing chisel round 16t**  
NZ\$168

## SECTION 5

# Texture protections.

There are three types of protective finishes that can be applied in the PeterFell Texture Safe System: **natural finish**, **wet-look gloss finish** and **wet-look matt finish**.

The natural finish can be applied to all texture options. In this finish, the surface is first treated with our lithium silicate densifier (C2 Hard), increasing surface hardness and durability. The penetrating sealer **PFL Texture Seal Natural** is then applied, protecting the surface from ingress of dirt and soil without altering the surface texture or appearance.

The other two finishes will offer a hard wearing surface protection with an enhanced 'wet-look' finish. The textured surface, with the exception of the fine texture (PFTSF), is treated with either **PFL Texture Seal Gloss** for a gloss finish, or **PFL Texture Seal Matt** for a matt finish. These two sealers offer excellent protection from staining and marking, making the textured surface easy to clean and maintain.



**PFL Texture Seal natural**

NZ\$369.60

**PFL Texture Seal gloss**

NZ\$288.75

**PFL Texture Seal matt**

NZ\$311.85

**Note:** PFL Texture Seal NATURAL Sealer is the only protection that can be used on fine surfaces textured with PeterFell Texture Safe (PFTSF) finishes. PFL Texture Seal GLOSS and PFL Texture Seal MATT reduce the slip-resistance on the fine texture only and subsequently cannot be applied. All pricing excludes GST and any freight ex PeterFell Auckland Head Office.

## SECTION 6

# Care and maintenance.

We've put together some maintenance tips to help ensure you continue to gain maximum benefit from your Abujardar Tooling.



## Handheld machine (Makita SA7000C).

This quality European made tooling is manufactured to run on a **Makita SA7000C variable speed machine**. This machine takes all handheld shrouds, handles, Integrated D.150, Mini Unic and RPCA tooling.

### Speed setting.

**Select speed setting 4** when you use Abujardar tooling on a Makita SA7000C variable speed machine.

### Operation.

Make sure the tooling is connected snugly to the machine. Don't over-tighten the attachment screws and always connect a code-compliant dust extraction vacuum. Start the machine in the air and then lower it onto the surface and work in circular motions.

### Testing.

Different surfaces have different strengths. We recommend that you test an area with your tooling before proceeding with the whole project. Soft concrete may need a densifier to harden before you texture it.

### After care.

Clean your tooling by brushing, wiping or blowing away any residual dust after you've completed the project. Regular cleaning helps stop dust from working into the edges of the rollers. Once you've finished cleaning, apply a small amount of WD40/CRC lubricant to each bolt.

### Check existing rollers.

Before each project, check that pre-used rollers:

- Spin freely;
- Have no broken tips; and
- Have all parts operating correctly.

Always keep spare rollers with you so that you don't have to stop a project because of wear and tear.



## Single Head and Planetary machines.

Abujardar Single Head and Planetary tooling plates and rollers are designed to fit many different types of grinding machines. These include HTC, Husqvarna, Lavina, Artizan, Blastrac and Klindex. You may need to make some adjustments to the shroud height and wheels depending on the tooling you're fitting.

Contact your PeterFell representative to talk about your tooling setup.

### **Checklist for rollers maintenance.**

We recommend that you do these basic checks on new and used rollers before starting a project with your Abujardar handheld tooling.

- Ensure the rollers are dust free.
- Ensure the bearings are spinning freely. Replace the bearings when required.
- Check that there is no excessive sideways movement in the bearing (and replace when required).
- Check for excessive broken tips.

Bolts can warp from the heat that's caused by prolonged texturing. We recommend therefore that you replace the roller running bolts when you're fitting new rollers onto Quick Change, Integrated or Conversion plates.

If you'd like to know more about the care and maintenance of Abujardar handheld tooling call us on **0800 422 65687**.



**We did a lot of research on bush hammer tooling before settling on Abujardar tooling.**

**It is top quality tooling built to last. Minimum maintenance, hard wearing with good service life providing an excellent return on investment.**

**We wouldn't utilise any other tooling and can highly recommend.**

**Mike Farrell**

Farrell Concrete Grinding

---

## **Disclaimer.**

The Abujardar handheld tooling is designed to texture flat or slightly undulated surfaces. Running tooling over edges, hitting objects and excessive downward pressure are likely to cause damage to the rollers and running parts. PeterFell will not accept returns or replace broken Abujardar tooling that is the result of misuse or being poorly fitted. Please note too that PeterFell will only provide a warranty for Abujardar handheld tooling that is fitted to a Makita SA7000C machine.

All prices are subject to change without notice and are not guaranteed, except those prices for an order that have been accepted by Peter Fell Limited. Prices (provided by way of a Quotation or a Price List) are subject to change to the prices in effect at the time of delivery. Peter Fell Limited reserves the right to make any corrections to prices quoted due to clerical errors or errors of omission. In the event of any specific requirements (including without limitation any design, specification, ordered quantity, or shipment changes) representing a price increase, the Buyer will be notified and afforded an opportunity to confirm.

Contact us to discuss  
about PeterFell  
Texture Safe System  
application or the best  
bush hammer tooling  
for the job.

**Phone**

0800 422 65687

**Email**

[info@peterfell.co.nz](mailto:info@peterfell.co.nz)

**Visit our Auckland Showroom**

81 Patiki Road  
Rosebank, Auckland

**PeterFell**  
TEXTURE SAFE SYSTEM

[peterfell.co.nz](http://peterfell.co.nz)

