Bioactive Oil Stain Remover



SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND THE COMPANY

Proc	luct	lder	ntifier:

Product name	Bioactive Oil Stain Remover
Synonyms	BIO
Proper shipping name	n/a
Other means of	Not applicable.
identification	

Relevant identified uses of the substance/mixture:

Relevant identified use Oil stain remover.

Details of manufacturer/supplier:

Company name	Peter Fell Ltd
Address	81 Patiki Rd, Avondale, Auckland 1026, New Zealand
Telephone	+64 9 828 6460
Website	www.peterfell.co.nz
e-mail	info@peterfell.co.nz

Emergency telephone number:

Association/Organisation	National Poison Center
Telephone	0800 764 766
Website	www.poisons.co.nz

SECTION 2: HAZARD IDENTIFICATION

Classification of the substance/mixture:

Considered a Hazardous Substance according to the criteria of the New Zealand Hazardous Substances New Organisms legislation. Classified as Dangerous Goods for transport purposes.

HSNO Classification	6.3A, 8.3A
HSNO Approval	HSR002530

Label Elements:

Hazard pictogram(s)



Signal Word

n/a

Hazard statement(s):

H315	Causes skin irritation.
H318	Causes serious eye damage.

Version: April 2025

Precautionary Statement(s) Prevention:

P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P103	Read label before use.
P264	Wash all exposed external body areas thoroughly after handling.
P280	Wear protective gloves, protective clothing, eye protection and face protection.

Precautionary Statement(s) Responses:

P310	Immediately call a POISON CENTRE/doctor/physician/first aider.
P363	Wash contaminated clothing before reuse
P301+P330+P331	IF SWALLOWED: Rince mouth. Do NOT induce vomiting.
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water
	(or shower).
P305+P351+PP338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses., if
	present and easy to do so. Continue rinsing.

Precautionary Statement(s) Storage:

P405 Store locked up.

Precautionary Statement(s) Disposal:

Dispose of contents/container to authorised hazardous or special waste collection point in accordance with any local regulation.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Mixtures:

Name	CAS Number	Proportion
Enzyme mixture	n/a	n/a
Benzenesulfonic acid, 4-C10-13-sec-alkyl derivatives, compounds with 2-	84961-74-0	5 - 10%
propanamine		
Dipropylene Glycol Methyl Ether	34590-94-8	1 - 5%
Primary Alcohol Ethoxylate	68439-45-2	1 - 5%
water	7732-18-5	balance

The specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret.

SECTION 4: FIRST AID

NZ Poisons Centre 0800 POISON (0800 764 766) | NZ Emergency Services: 111

Description of first aid measures:

	- Wash out immediately with fresh running water.
	- Ensure complete irrigation of the eye by keeping eyelids apart and away from eye and
Eye Contact	moving the eyelids by occasionally lifting the upper and lower lids.
Eye Contact	- Seek medical attention without delay; if pain persists or recurs seek medical attention.
	- Removal of contact lenses after an eye injury should only be undertaken by skilled
	personnel.
	- Immediately remove all contaminated clothing, including footwear.
Skin Contact	- Flush skin and hair with running water (and soap if available).
	- Seek medical attention in event of irritation.
	- If fumes or combustion products are inhaled remove from contaminated area.
	- Lay patient down. Keep warm and rested.
	- Prostheses such as false teeth, which may block airway, should be removed, where
Inhalation	possible, prior to initiating first aid procedures.
	- Apply artificial respiration if not breathing, preferably with a demand valve resuscitator, ba
	valve mask device, or pocket mask as trained. Perform CPR if necessary.
	- Transport to hospital, or doctor, without delay.
	- If spontaneous vomiting appears imminent or occurs, hold patient's head down, lower tha
	their hips to help avoid possible aspiration of vomitus.
	- If swallowed do NOT induce vomiting
	- If vomiting occurs, lean patient forward or place on left side (head-down position, if
	possible) to maintain open airway and prevent aspiration.
Ingestion	- Observe the patient carefully.
	- Never give liquid to a person showing signs of being sleepy or with reduced awareness; i
	becoming unconscious.
	- Give water to rinse out mouth, then provide liquid slowly and as much as casualty can
	comfortably drink.
	- Seek medical advice.

Version: April 2025

SECTION 5: FIREFIGHTING MEASURES

Type of Hazard	Non flammable
Fire Hazard Properties	Burning can produce carbon monoxide and/or carbon dioxide.
Extinguishing Media & Method	Dry powder, Carbon dioxide, extinguishing powder, foam.
Products of Combustion	Burning can produce carbon monoxide and/or carbon dioxide.
Recommended Protective	Wear full protective gear. Non-flammable overalls, gloves, safety boots.
Clothing	
Fire Fighting Advice	Not applicable.
Hazchem code	- /-

SECTION 6: ACCIDENTAL RELEASE MEASURES

Spillages will be slippery. If local regulations permit, mop up with plenty of water and run to waste, diluting with copious amounts of running water. Otherwise, absorb on inert medium, transfer to salvage containers and arrange removal by licensed disposal company. Wash site of spillage thoroughly with water. Ventilate area to dispel any residual vapour or odours.

7. STORAGE AND HANDLING

Handling	Read Carefully and follow all instructions.
	Do not breathe fumes, vapours, or spray.
	Wash hands thoroughly after handling.
	Wear appropriate protection (see Section 8).
	Avoid release to the environment.
	Store in a cool, dry, well-ventilated area out of reach of children.
	Store in original container tightly closed.
	Inspect regularly for deficiencies such as damage and leaks.
Storage	Large quantities should be stored in a bunded area.
	Keep away from acids and oxidising agents.
	Prevent vapours from collecting in low-lying or enclosed spaces.
	Protect from physical damage.

Version: April 2025

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Workplace Exposure Standards:

No exposure standards have been established for this material. However, exposure standards for ingredients stated below:

Ingredient	STEL (mg/m3)	STEL (ppm)	TWA (mg/m³)	TWA (ppm)
Dipropylene Glycol Methyl Ether	909	150 (skin)	606	100 (skin)

TWA (Time-weighted Average) – Average airborne concentration over an eight-hour working day, for a five-day working week over an entire working life.

STEL (Short Term Exposure Limit) – The average airborne concentration over a 15-minute period which should not be exceeded at any time during a normal eight-hour workday.

Application in the workplace - According to current knowledge these concentrations should neither impair health hazards. These exposure standards are guides to be used in the control of occupational health hazards. All atmospheric contamination should be to, as low as level as is workable. Exposure standards should not be used as fine dividing lines between safe and dangerous concentrations of chemicals. They are not a measure of relative toxicity.

Engineering Controls:

Local ventilation.

Personal Protective Equipment (PPE):

Clothing	T	Suitable workwear should be worn to protect personal clothing i.e. cotton overalls buttoned at the neck and wrists. When large quantities are handled PVC plastic or rubber aprons and boots are recommended.
Hand Protection		Protective gloves are recommended. PVA or Viton/Butyl gloves are recommended. Replace frequently. Check for wear and tear before use. Open cuts or irritated skin should bot be exposed to this material.
Eye Protection		Avoid contact with eyes. Use safety glasses and/or chemical splash goggles if splashes are possible.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	Off white liquid	Specific gravity (g/ml)	0.9
Physical State	Liquid	Auto-Ignition Temperature (°C)	Not applicable
Odour	Yeasty odour	Decomposition Temperature (°C)	Not applicable
рН	5	Viscosity (cSt)	Not Available
Melting Point (°C)	Not Available	Molecular weight (g/mol)	Not Available
Freezing Point (°C)	Not Available	Taste	Not Available
Boiling Point (°C)	Not Available	Explosive Properties	Not applicable
Flash Point (°C)	>93	Oxidising Properties	Not applicable
Evaporation Rate	Not Available	Volatile Component (%)	Not applicable
Explosive Properties	Not applicable	VOC g/L	Not Available
Upper Explosive Limit (%)	Not applicable	Solubility in water (g/L)	Complete
Lower Explosive Limit (%)	Not applicable	Vapour Density in Air (Air = 1)	Not Available

Version: April 2025

10. STABILITY AND REACTIVITY

Stability of the substance	Stable under normal conditions.
	Prevent vapour accumulation.
	Oxidising agents and acids.
Hazardous Decomposition	No data available.
Products	
Hazardous reactions	None known.

11. TOXICOLOGICAL INFORMATION

Acute Effects

Oral	Using LD50's for ingredients, the calculated LD50 (oral, rat) for the mixture is >5,000 mg/kg. Data considered includes: Dipropylene Glycol Methyl Ether >5000mg/kg, primary alcohol ethoxylate 500mg/kg, benzenesulfonic acid, 4-C10-13-sec-alkyl derivatives, compounds. with 2-propanamine 2000mg/kg (rat).
Dermal	Using LD50's for ingredients, the calculated LD50 (dermal, rat) for the mixture is >5000 mg/kg. Data considered includes: Dipropylene Glycol Methyl Ether 9510mg/kg (rabbit).
Inhalation	No evidence of acute inhalation toxicity.
Eye	The mixture is considered to be corrosive to the eye, because some of the ingredients present at >3% are considered eye corrosives (primary alcohol ethoxylate).
Skin	The mixture is considered to be a skin irritant, because some of the ingredients present are considered skin irritants in more concentrated form. (primary alcohol ethoxylate, benzenesulfonic acid, 4-C10-13-sec-alkyl derivs., compds. with 2- propanamine)

Chronic Effects

Carcinogenicity	Not applicable.
Reproductive toxicity	Not applicable.
Germ cell mutagenicity	Not applicable.
Aspiration	Not applicable.
STOT/SE	Not applicable.
STOT/RE	Not applicable.

12. ECOLOGICAL INFORMATION

Summary

This mixture is not considered ecotoxic.

Supporting Data

Aquatic	Using EC50's for ingredients, the calculated EC50 for the mixture is > 100 mg/L. Data considered includes: Benzenesulfonic acid, 4-C10-13-sec-alkyl derivatives., compounds. with 2-propanamine 1.67-40mg/L (4 days), 2.9-7.1mg/L (48hr, aquatic invertebrates), Primary Alcohol Ethoxylate 0.4->100mg/L (for linear AE).
Bioaccumulation	No data available.
Degradability	No data.
Soil	No evidence of soil toxicity.
Terrestrial vertebrate	This mixture is not considered toxic towards terrestrial vertebrates.
Terrestrial invertebrate	No evidence of toxicity towards terrestrial invertebrates.
Biocidal	No data.
Environmental effect levels	No EELs are available for this mixture or ingredients.

Version: April 2025

13. DISPOSAL CONSIDERATIONS

Disposal method	Triple rinse and dispose of according to local and national regulations.
Precautions	Do not allow to enter waterways.

14. TRANSPORT INFORMATION

This mixture is not considered hazardous substance for transport.

15. REGULATORY INFORMATION

This product is approved substance under the Hazardous Substances and New Organisms Act (HSNO).

HSR Number	Group Standard
HSR002530	Cleaning Products (Subsidiary Hazard) Group Standard 2006.

Specific Workplace Controls

SDS	To be available within 10 minutes where product is stored.
Labelling	No removal of labels. Original label must be retained.
Approved handler	Not required.
Tracking	Not required.
Bunding and Secondary	Not required.
Containment	
Signage	Not required.
Location Test Certificate	Not required.
Emergency Plan	Not required.
Restriction of use	None known.

Note: The above workplace requirements apply if only this particular substance is present. The complete set of controls for a location will depend on the classification and total quantities of other substances present in that location.

Version: April 2025

Specific Workplace Controls

In New Zealand the use of this product may come under the Resource Management Act and Regulations, the Health and Safety at Work Act 2015 and the Safety at Work (General Risk and Workplace Management) Regulations 2016 and local Council Rules and Regional Council plans,

16. OTHER INFORMATION

SDS Created	April 2025
SDS Updated	April 2025

The SDS is a Hazard Communication tool and should be used to assist in the Risk Assessment. Many factors determine whether the reported Hazards are Risks in the workplace or other settings. Risks may be determined by reference to Exposures Scenarios. Scale of use, frequency of use and current or available engineering controls must be considered.

Definitions and abbreviations

PC—TWA: Permissible Concentration-Time Weighted Average PC—STEL: Permissible Concentration-Short Term Exposure Limit

IARC: International Agency for Research on Cancer

ACGIH: American Conference of Governmental Industrial Hygienists

STEL: Short Term Exposure Limit

TEEL: Temporary Emergency Exposure Limit.

IDLH: Immediately Dangerous to Life or Health Concentrations

ES: Exposure Standard
OSF: Odour Safety Factor

NOAEL: No Observed Adverse Effect Level LOAEL: Lowest Observed Adverse Effect Level

TLV: Threshold Limit Value
LOD: Limit Of Detection
OTV: Odour Threshold Value
BCF: Bioconcentration Factors
BEI: Biological Exposure Index

AIIC: Australian Inventory of Industrial Chemicals

DSL: Domestic Substances List
NDSL: Non-Domestic Substances List

IECSC: Inventory of Existing Chemical Substance in China

EINECS: European Inventory of Existing Commercial chemical Substances

ELINCS: European List of Notified Chemical Substances

NLP: No-Longer Polymers

ENCS: Existing and New Chemical Substances Inventory

KECI: Korea Existing Chemicals Inventory NZIoC: New Zealand Inventory of Chemicals

PICCS: Philippine Inventory of Chemicals and Chemical Substances

TSCA: Toxic Substances Control Act

TCSI: Taiwan Chemical Substance Inventory

INSQ: Inventario Nacional de Sustancias Químicas

NCI: National Chemical Inventory

FBEPH: Russian Register of Potentially Hazardous Chemical and Biological Substances.